

	Type	L #	Hits	Search Text	DBs	Time Stamp	Er ro r Co mm enfi tsni ti on	Er ro r De enfi tsni ti on
1	BRS	L1	32	351/177.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
2	BRS	L2	21	351/159.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
3	BRS	L3	14	351/41.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
4	BRS	L4	22	351/160r.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
5	BRS	L5	5	351/160h.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
6	BRS	L6	10	351/161.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Cor mm enfi tsni ti on	Er ro rs
7	BRS	L7	8	351/162.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:42		
8	BRS	L8	5	351/219.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:43		
9	BRS	L9	9	623/6.11.ccls. and @pd>="20040801"	US- PGPUB ; USPAT	2004/12/2 8 10:43		
10	BRS	L10	99	1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9	US- PGPUB ; USPAT	2004/12/2 8 10:43		
11	BRS	L11	4513	test\$3 near5 lens\$2	US- PGPUB ; USPAT	2004/12/2 8 11:00		
12	BRS	L12	290	temporary near5 lens\$2	US- PGPUB ; USPAT	2004/12/2 8 11:00		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Cor mm enfi tsni ti on	Er ro rs
13	BRS	L13	19134	control near5 lens\$2	US- PGPUB ; USPAT	2004/12/2 8 11:00		
14	BRS	L14	23117	11 or 12 or 13	US- PGPUB ; USPAT	2004/12/2 8 10:44		
15	BRS	L15	29	10 and 14	US- PGPUB ; USPAT	2004/12/2 8 10:44		
16	BRS	L16	60845	(measure\$1 or measuring or test\$3 or obtain\$3) with successiv\$3	US- PGPUB ; USPAT	2004/12/2 8 11:01		
17	BRS	L17	1	15 and 16	US- PGPUB ; USPAT	2004/12/2 8 10:45		
18	BRS	L18	11301 34	angle\$1	US- PGPUB ; USPAT	2004/12/2 8 11:03		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Err ro Co mm enfi tsni ti on	Er ro De rs
19	BRS	L19	17	15 and 18	US- PGPUB ; USPAT	2004/12/2 8 10:48		
20	BRS	L20	21651	(characteristic\$1 or trait\$1 or feature\$1) with successiv\$3	US- PGPUB ; USPAT	2004/12/2 8 11:02		
21	BRS	L21	0	10 and 20	US- PGPUB ; USPAT	2004/12/2 8 10:49		
22	BRS	L22	54577 5	successiv\$3	US- PGPUB ; USPAT	2004/12/2 8 10:49		
23	BRS	L23	8	10 and 22	US- PGPUB ; USPAT	2004/12/2 8 10:49		
24	BRS	L24	4	14 and 23	US- PGPUB ; USPAT	2004/12/2 8 10:50		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Cor mm enfi tsni ti on	Er ro rs
25	BRS	L25	39120	(stable or comfortable) near5 position\$3	US- PGPUB ; USPAT	2004/12/2 8 11:02		
26	BRS	L26	2	15 and 25	US- PGPUB ; USPAT	2004/12/2 8 10:51		
27	BRS	L27	218	emmetropia	US- PGPUB ; USPAT	2004/12/2 8 10:51		
28	BRS	L28	15	emmetropization	US- PGPUB ; USPAT	2004/12/2 8 10:51		
29	BRS	L29	224	27 or 28	US- PGPUB ; USPAT	2004/12/2 8 10:51		
30	BRS	L30	3	15 and 29	US- PGPUB ; USPAT	2004/12/2 8 10:54		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Cor mm enfi tsni ti on	Er ro r ors
31	BRS	L31	809	14 and 16	US- PGPUB ; USPAT	2004/12/2 8 10:54		
32	BRS	L32	59	20 and 31	US- PGPUB ; USPAT	2004/12/2 8 10:54		
33	BRS	L33	8	25 and 32	US- PGPUB ; USPAT	2004/12/2 8 10:55		
34	BRS	L34	3	29 and 33	US- PGPUB ; USPAT	2004/12/2 8 10:55		
35	BRS	L35	5	33 not 34	US- PGPUB ; USPAT	2004/12/2 8 10:55		
36	BRS	L36	1	18 and 35	US- PGPUB ; USPAT	2004/12/2 8 10:56		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Cor mm enfi tsni ti on	Er ro r ro rs
37	BRS	L37	45	18 and 32	US- PGPUB ; USPAT	2004/12/2 8 10:56		
38	BRS	L38	2177	test\$3 near5 lens\$2	EPO; JPO; DERWE NT	2004/12/2 8 11:00		
39	BRS	L39	129	temporary near5 lens\$2	EPO; JPO; DERWE NT	2004/12/2 8 11:00		
40	BRS	L40	12277	control near5 lens\$2	EPO; JPO; DERWE NT	2004/12/2 8 11:00		
41	BRS	L41	14459	38 or 39 or 40	EPO; JPO; DERWE NT	2004/12/2 8 11:01		
42	BRS	L42	25352	(measure\$1 or measuring or test\$3 or obtain\$3) with successiv\$3	EPO; JPO; DERWE NT	2004/12/2 8 11:01		
43	BRS	L43	28	41 and 42	EPO; JPO; DERWE NT	2004/12/2 8 11:01		
44	BRS	L44	3518	(characteristic\$1 or trait\$1 or feature\$1) with successiv\$3	EPO; JPO; DERWE NT	2004/12/2 8 11:02		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Err ro Co mm enfi tsni ti on	Er ro Co mm De enfi tsni ti on
45	BRS	L45	1	43 and 44	EPO; JPO; DERWE NT	2004/12/2 8 11:02		
46	BRS	L46	13135	(stable or comfortable) near5 position\$3	EPO; JPO; DERWE NT	2004/12/2 8 11:02		
47	BRS	L47	0	43 and 46	EPO; JPO; DERWE NT	2004/12/2 8 11:02		
48	BRS	L48	93225 4	angle\$1	EPO; JPO; DERWE NT	2004/12/2 8 11:03		
49	BRS	L49	6	43 and 48	EPO; JPO; DERWE NT	2004/12/2 8 11:03		